# ENERGY**FICIENT**®

Utility Jar Fixture products@energyficient.com | energyficient.com | 800-713-3732

> Universal Junction Box Adapter......QJBA Q-Lume Subassembly.....QL100 Clear Glass Jar.....QLJAR


• Includes captive jar & junction box gaskets

Replaceable nickel plated socket


Intended for wet or damp locations

Q-Lume™









# Q-Lume™

Revealing a better way

## Assembled Utility Jar Fixture Water/Airtight, High Pressure Washable

### Part Numbers

Assembled:	
Q-Lume Fixture	QL300J
Q-Lume Fixture, No Globe	QL303

### Application:

The most watertight utility jar fixture available today, the Q-Lume was designed for the barn and those that wire and repair barn lighting. The perfect choice to repair or replace old style jar fixtures. Includes gaskets at the existing junction box and jar. Gaskets are all captive, made with high temp silicone - ensuring long life, frustration free installation, and a waterproof fit. The FicientLock<sup>™</sup> System requires no screws, so future repairs are quick and easy.

# FicientLock™ Technology

# Image: Second second

Parts:

Features:

•

No assembly screws

• FicientLock<sup>™</sup> System

Material	Non-metallic, high performance polycarbonate and high temp rated gasket
Environmental	Suitable for wet or damp locations
Safety	ETL listed, Certified to UL Std. 1598, Certified to CAN/CSA 22.2 #250.0
Dimensions	77/8" H x 4 1/2" W
Wattage	40W Max, Incandescent, CFL or LED lamps
Socket	Replaceable E26 medium base, nickel plated
Packaging	QL303: 15 per box; Box Size: 18.5" x 14" x 5.5"; Weight: 8 lbs QL300J: 12 per box; Box Size: 23.75" x 18.75" x 10"; Weight: 18 lbs
Mounting	Includes (4) #8 coarse thread, plastite stainless steel screws for mounting to existing non-metallic junction boxes



Scan QR code for more info











USA Made

Patent No. 9.803.844 REV. 200826

materials